
Receiving Report

	vate: $\frac{\cancel{H}48\cancel{K}}{\cancel{U}}$			Dart P/O:	322	16	NI/A
	Yes No _		Release N Waybill At Shipment QC18 Insp Work Orde	lote Attach tached: Complete: pection er	ed: Yes Yes Yes	No No	N/A N/A N/A
Discrepancies Part Number	Description	Quantity	Quantity	Quantity	Quantity	Quantity	Comment / NCR Number
- art rumber	Воопри	Ordered	Rec'd	Short	Inspected	Rejected	Number
			ļ				
				Initials of	Receiver	QC12	
Production/Admin: Date Location Received/Costing Initial							





Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO32216

Purchase Order Date 4/29/2016 PO Print Date 4/29/2016

Page Number 1 of 2

Order From:

HASKINS INDUSTRIAL 5-52 ANTARES DRIVE NEPEAN, ON K2E 7Z1 CA

VC-HAS001

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K

CANADA



APR 2 9 2016

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Ship Acct: 613 723 8800

Dicom

Buyer

Chantal Lavoie

Customer POID

Customer Tax#

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number	Description/ Mfg ID	Req Date/ CD Taxable	Req Qty/ Unit of Measure		PO Unit Price	Extended Price
	Line Comments Delivery Comments		Promise Date	Measure	/		
1 7	71500-30	NG 1/4-28 UNF 2A GO RING GAUGE	5/5/2016	2.00		\$164.69	\$329.38
			Yes 5/5/2016	Each			
							•
						Line Total:	\$329.38
Delive	er To: JEAN-LUC				•		
2 7	71500-65	NG 1/4-28 UNF2A NOGO RING GAUGE	5/5/2016	2.00		\$164.69	\$329.38
			Yes 5/5/2016	Each			
	٠						
						Line Total:	\$329.38
Delive	er To: JEAN-LUC						
3 7	71500-30	OFPT53AFEN4GB KCPK30 INSERT	5/5/2016	10.00		\$11.18	\$111.80
			Yes 5/5/2016	Each		1665-03	
						1/0 C)	
					SV	1 4	
PO 1	nstructions: PROCUREMEN	NT QUALITY CLAUSES A000 C	LAUSES NOT REQU	IRED	U		

Note:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO32216

Purchase Order Date 4/29/2016
PO Print Date 4/29/2016

Page Number 2 of 2

Order From:

HASKINS INDUSTRIAL 5-52 ANTARES DRIVE NEPEAN, ON K2E 7Z1 CA VC-HAS001

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Ship To Contact

Ship To Phone

Vendor Phone

613 723 8800

Dicom

Buyer

Chantal Lavoie

Customer POID

Customer Tax #
Terms

10127-2607 Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Ship Acet:

Ship Via:

Line Total:

\$111.80

Deliver To: JEAN-FRANÇOIS

71500-20

028357 3/8" DRILL RTEVERSIBLE 5/5/2016

1.00

\$49.50

\$49.50

Yes 5/5/2016

Each

Line Total:

\$49.50

Deliver To: FRANS

PO Total:

\$820.06

PO Instructions: PROCUREMENT QUALITY CLAUSES A000 CLAUSES NOT REQUIRED

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr:

1

Change Date:

4/29/2016

HASKINS INDUSTRIAL INC. 5-52 ANTARES DRIVE *** BACK ORDER ***

Order #

1261470.00

Order Date 04/29/16

Page

M6-05-4.

1 of 1

NEPEAN, ONTARIO K2E 7Z1 TEL (613)723-8800 FAX (613)723-8806

Sold To: DART AEROSPACE LTD.

1270 ABERDEEN STREET

HAWKESBURY

ON

K6A 1K7

Ship To: DART AEROSPACE LTD.

1270 ABERDEEN STREET

HAWKESBURY

ON

K6A 1K7

	Cust	Phone #	Warehouse OTTAWA		F.O.B. DEST		Taken By Sylvie 613-723-880
Cust # 05168	Customer P	/0 #	Required 04/30/16	Orig Order 1261470.00	Slsm PL	Ship Via	Terms NET 30
======== Ln# Bin # ========	Order UM	ship	B/O Product	De	escripti	ion ========	=======================================
1	2 EA	×	1X1 Q 14658	NG	1/4-28	UNF 2A GO	RING GAUGE
2	2 EA	2	/ 1X1 Q 14658	NG	1/4-28	UNF2A NOGO	RING GAUGE
3	10 EA	10	KEO1X1 2455816	OFF	T53AFEN	14GB	KCPK30 INSERT
4 *	1 EA	0	1 JE1X1	028	357 3/8	3	REVERSIBLE DRILL

PLEASE NOTE:

1. NO RETURNS WITHOUT PRIOR AUTHORIZATION

2. ALL SHORTAGE CLAIMS MUST BE WITHIN 10 DAYS

3. BO CODE: BO = QTY NOT SHIPPED IS BACK-ORDERED

CL= QTY NOT SHIPPED WAS CANCELLED

SC= ITEM CONSIDERED COMPLETE - NO B/O CREATED

FILL PACK
Printed on 2016-05-02

DATE 5 /2 /(



Northern Gauge Inc.

400 - 280 Portage Close, Sherwood Park, Alberta, Canada, T8H 2R6 Phone - 780.628.0844. Fax: 780.401.3326

Certificate No. : SC/33036

Date of Mfg.:

25.01.2016

Start Date:

Due Date:

Certificate of Calibration

SIZE: 1/2" 28 UNEF 2A

(THREAD RING GAUGE) SPEC. : ANSI B1.2.1983

Main Instruments used for Calibration

 Length Measuring Machine Make Trimos, Sr. No. 1483, Range 0 - 1000mm, Uncertainty of measurement ± 0.0003 mm, NPL N.D.
 Calibration Certificate No. 15040002/D5.02/C-024 dt. 15.04.2015, Valid up to dt. 15.04.2017

Carbide Gauge Blocks Inspection Grade Sr. No. 3766, NPL Traceability thro'
 Carbide Block supplier Mikronix, Uncertainty of measurement ± 0.0002 mm,
 NPL N.D. vide their Certificate No. SG/16/0457 dtd. 09.01.2016, Valid upto dt. 09.01.2018

3. Contour machine No. 999331KF, Uncertainty of measurement ± 0.0002mm, NPL N.D. Calibration Certificate No. 15040002/D5.02/C-025 dt. 15.04.2015, Valid up to dt. 15.04.2017

4. Ball diameter used 0.530 mm

SPECIFIED DIMENSIONS	OBSERVED DIMENSIONS
	SR. NO. NS-3526
0.4757" – 0.0003"	0.4755" / 0.4755" / 0.4755"
0.4602" - 0.0003"	0.4600" / 0.4600" / 0.4600"
30° ± 15'	30°02' / 30°10'
± 0.0003"	+ 0.0001"
57 to 62 RC	61 RC
	0.4757" - 0.0003" 0.4602" - 0.0003" 30° ± 15' ± 0.0003"

* Measurements are carried out at 20° C \pm 1°C, Humidity 50 \pm 10 RH

Measurements performed by

Approved by

S.P. Waphare

J.B. Chattar



Northern Gauge Inc.

400 - 280 Portage Close, Sherwood Park, Alberta, Canada, T8H 2R6 Phone - 780.628.0844. Fax: 780 401 3326

Certificate No. : _{SC/33037}

Date of Mfg.:

25.01.2016

Start Date:

Due Date:

Certificate of Calibration

SIZE: 1/2" 28 UNEF 2A

(THREAD RING GAUGE) SPEC.: ANSI B1.2.1983

Main Instruments used for Calibration

1. Length Measuring Machine Make Trimos, Sr. No. 1483, Range 0 - 1000mm, Uncertainty of measurement \pm 0.0003 mm, NPL N.D. Calibration Certificate No. 15040002/D5.02/C-024 dt. 15.04.2015, Valid up to dt. 15.04.2017

2. Carbide Gauge Blocks Inspection Grade Sr. No. 3766, NPL Traceability thro' Carbide Block supplier Mikronix, Uncertainty of measurement ± 0.0002 mm, NPL N.D. vide their Certificate No. SG/16/0457 dtd. 09.01.2016, Valid upto dt. 09.01.2018

3. Contour machine No. 999331KF, Uncertainty of measurement ± 0.0002mm, NPL N.D. Calibration Certificate No. 15040002/D5.02/C-025 dt. 15.04.2015, Valid up to dt. 15.04.2017

4. Ball diameter used 0.530 mm

***************************************	SPECIFIED DIMENSIONS	OBSERVED DIMENSIONS
GO RING		SR. NO. NS-3527
PITCH DIA.	0.4757" – 0.0003"	0.4754" / 0.4754" / 0.4754"
MINOR DIA.	0.4602" -0.0003 "	0.4600" / 0.4600" / 0.4600"
FLANK ANGLE	30° ± 15'	29°58' / 30°05'
PITCH TOLERANCE	± 0.0003"	+ 0.0001"
HARDNESS	57 to 62 RC	60 RC

Measurements are carried out at 20° C \pm 1°C, Humidity 50 \pm 10 RH

Measurements performed by

Approved by

S.P. Waphare



Northern Gauge Inc

400 – 280 Portage Close, Sherwood Park,-Alberta, Canada T8H 2R6

Phone – 780.628.0844, Fax – 780.401.3326

Customer Serial No. :			Certificat	Certificate No.: SC/ 8898		
P. O. No.	:		Date :	13.04.2010		
		Certificate of Ca	alibration			
	SIZE: 1/2" 28 UNE	F 2A (THREAD RING	G GAUGE) SPECIFI	ICATION: ANSI B1.2.1983		
	NPL N.D. Calibration Control of the	ertificate No. 09021776/1.02/C/0020 meter, Mitutoyo, Model No. 10467 ent ± 0.0005mm ertificate No. 09021776/1.02/C/002 ne Make Trimos, Sr. No. 1130, Rai ertificate No. 09021777/1.02/C/0026 spection Grade Sr. No. 3766 arbide Block supplier Mikronix vid	5 dt. 21.04.2009, Valid up to SG-1014/13, Range 0 – 4" 0 dt. 21.04.2009, Valid up to Range 0 – 150 mm, 1 dt. 21.04.2009, Valid up to 15 dt. 21.04.2009, Valid up to 16 dt. 21.04.2009, Valid up to 16 dt. 21.04.2009, Valid up to 17 dt. 21.04.2009, Valid up to 18 dt. 21.04.2009, Valid up to 18 dt. 21.04.2009, Valid up to 18 dt. 21.04.2009, Valid up to	o dt. 21.04.2011 o dt. 21.04.2011 to dt. 21.04.2011 f measurement ± 0.001mm o dt. 21.04.2011 09/062 dtd. 13.12.2009		
	NPL N.D. Calibration C	ertificate No. 09021776/1.02/C/002: SPECIFIED DIMENSIONS				
	NOGO RING	SI ECH IED DIVIENSIONS	SR. NO. NS-1			
	MAJOR DIA.	CLEARED	CLEARED			
	PITCH DIA.	0.4720 + 0.0003	0.4722 / 0.4722	2		
	MINOR DIA.	0.4643 + 0.0005	0.4646 / 0.4646	5		
	FLANK ANGLE	30° ± 15'	30°05' / 30°05'			
	PITCH TOLERANCE	± 0.0003	WITHIN LIMI	Т		
	HARDNESS	57 to 62 RC	60 RC			
	* Dimensions are in Inches Measurements performed by UM_ S.S. Hiray	* Measurements are carried out	at 20° C ± 1°C Approved by J.B. Chattar			



Northern Gauge Inc.

400 – 280 Portage Close, Sherwood Park, Alberta, Canada T8H 2R6⁻¹ Phone – 780.628.0844, Fax – 780.401.3326

SC/8899 Certificate No.: Customer Serial No.: 13.04.2010 Date: P. O. No. : Certificate of Calibration 28 UNEF 2A (THREAD RING GAUGE) SPECIFICATION: ANSI B1.2.1983 SIZE: Main Instruments used for Calibration 1. Universal Horizontal Metroscope, Carl Zeiss, Model No. 5508, Uncertainty of measurement ± 0.001mm NPL N.D. Calibration Certificate No. 09021777/1.02/C/0025 dt. 21.04.2009, Valid up to dt. 21.04.2011 2. Floating Carriage, Micrometer, Coventry Gauge, Model No. SG-1014/13, Range 0 - 4" Uncertainty of measurement ± 0.00002 Inch NPL N.D. Calibration Certificate No. 09021776/1.02/C/0020 dt. 21.04.2009, Valid up to dt. 21.04.2011 3. Floating Carriage, Micrometer, Mitutoyo, Model No. 10467 Range 0 – 150 mm, Uncertainty of measurement ± 0.0005mm NPL N.D. Calibration Certificate No. 09021776/1.02/C/0021 dt. 21.04.2009, Valid up to dt. 21.04.2011 4. Length Measuring Machine Make Trimos, Sr. No. 1130, Range 500mm, Uncertainty of measurement ± 0.001mm NPL N.D. Calibration Certificate No. 09021777/1.02/C/0026 dt. 21.04.2009, Valid up to dt. 21.04.2011 5. Carbide Gauge Blocks Inspection Grade Sr. No. 3766 NPL Traceability thro' Carbide Block supplier Mikronix vide their Certificate No. SG/09/062 dtd. 13.12.2009 Valid upto dt. 13.12.2011 6. Profile Projector, Pexit Model No. 073145274 NPL N.D. Calibration Certificate No. 09021776/1.02/C/0024 dt. 21.04.2009, Valid up to dt. 21.04.2011 7. Mechanical Comparator, Sigma, Model No. MC No. 51655 NPL N.D. Calibration Certificate No. 09021776/1.02/C/0023 dt. 21.04.2009, Valid up to dt. 21.04.2011 SPECIFIED DIMENSIONS **OBSERVED DIMENSIONS NOGO RING** SR. NO. NS-1158 MAJOR DIA. **CLEARED CLEARED** PITCH DIA. 0.4720 + 0.00030.4720 / 0.4720 MINOR DIA. 0.4643 + 0.00050.4645 / 0.4645 $30^{\circ} \pm 15^{\circ}$ FLANK ANGLE 30°05' / 30°10' PITCH TOLERANCE ± 0.0003 WITHIN LIMIT **HARDNESS** 57 to 62 RC 61 RC * Dimensions are in Inches Measurements are carried out at 20° C ± 1°C Measurements performed by Approved by LAW_ S.S. Hiray Chattar